## AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A phospholipidic composition, whereby said composition is a granulate, said composition containing ~~with a concentration of~~ L-α-glycerophosphatidylcholine in a concentration of at least 10% by weight~~, characterized in that the composition consists of granules and, in addition to containing L-α-glycerophosphatidylcholine, the composition also contains~~ and at least one granulation aid selected from the group consisting of a monophosphate, diphosphate or triphosphate of an alkali metal, ~~or~~ an alkaline earth metal, and ~~or~~ a mixture thereof.

2. (Currently Amended) The phospholipidic composition of ~~according to~~ Claim 1, wherein ~~characterized in that~~ the composition contains the granulation aid in a concentration between 2 % by weight and 50 % by weight.

3. (Currently Amended) The phospholipidic composition of ~~according to~~ Claim ~~1 one of the preceding claims~~, wherein ~~characterized in that~~ the composition contains the granulation aid in a concentration between 10 % by weight and 30 % by weight.

4. (Currently Amended) The phospholipidic composition of ~~according to~~ Claim ~~1 one of the preceding claims~~, wherein ~~characterized in that~~ the granules have a particle size between 0.063 mm and 5 mm.

5. (Currently Amended) The phospholipidic composition of ~~according to~~ Claim ~~1 one of the preceding claims~~, wherein ~~characterized in that~~ at least one of cellulose and ~~and/or~~ silicon dioxide is ~~also~~ present in the composition.

6. (Currently Amended) The phospholipidic composition of ~~according to~~ Claim 5, wherein ~~characterized in that~~ the cellulose concentration in the composition is between 0.5 % by weight and 30 % by weight.

7. (Currently Amended) The phospholipidic composition of ~~according to~~ Claim 6, wherein ~~characterized in that~~ the cellulose concentration in the composition is between 5 % by weight and 20 % by weight.

8. (Currently Amended) The phospholipidic composition of ~~according to~~ Claim ~~5 one of claims 5 till 7~~, wherein ~~characterized in that~~ the cellulose has an average particle size between 60 µm and 150 µm~~, preferably between 90 µm and 120 µm~~.

9. (Currently Amended) The phospholipidic composition of ~~according to~~ Claim 5 ~~one of claims 5 till 8~~, wherein ~~characterized in that~~ the silicon dioxide concentration in the composition varies between 0.5 % by weight and 3 % by weight~~, preferably between 1 % by weight and 2 % by weight~~.

10. (Currently Amended) The phospholipidic composition of ~~according to~~ Claim 5 ~~one of claims 5 till 9~~, wherein the silicon dioxide has a particle size between 5 nm and 25 nm~~, preferably between 10 nm and 20 nm~~.

11. (Currently Amended) The phospholipidic composition of ~~according to~~ Claim 5 ~~one of claims 5 till 10~~, wherein ~~characterized in that~~ the silicon dioxide has a surface area between 100 $m^2/g$ and 300 $m^2/g$~~, preferably between 150 $m^2/g$ and 250 $m^2/g$~~.

12. (Currently Amended) The phospholipidic composition of ~~according to~~ Claim 1 ~~one of the preceding claims~~, wherein ~~characterized in that~~ the composition contains at least one calcium salt of phosphoric acid as a granulation aid.

13. (Currently Amended) The phospholipidic composition of ~~according to~~ Claim 12, wherein ~~characterized in that~~ the calcium salt of phosphoric acid is tricalcium phosphate.

14. (Currently Amended) The phospholipidic composition of ~~according to~~ Claim 13 ~~one of the preceding claims~~, wherein ~~characterized in that~~ the tricalcium phosphate contains at least one of less than 10 % by weight monocalcium phosphate and ~~and/or~~ less than 10 % by weight dicalcium phosphate, each based on the total amount of said tricalcium phosphate.

15. (Currently Amended) The phospholipidic composition of ~~according to~~ Claim 1 ~~one of the preceding claims~~, wherein ~~characterized in that~~ the composition is free of ~~usual~~ binders.

16. (Currently Amended) The phospholipidic composition of ~~according to~~ Claim 1 ~~one of the preceding claims~~, wherein ~~characterized in that~~ the concentration of L-α-glycerophosphatidylcholine in the composition is greater than 70 % by weight.

17. (Currently Amended) The phospholipidic composition of ~~according to~~ Claim 16, wherein ~~characterized in that~~ the concentration of L-α-glycerophosphatidylcholine in the composition is between 80 % by weight and 95 % by weight.

18. (Currently Amended) The phospholipidic composition of ~~according to~~ Claim 1 ~~one of claims 1 till 16~~, wherein ~~characterized in that~~ the composition contains:

10 to 80 % by weight L-α-glycerophosphatidylcholine;

0 to 40 % by weight cellulose;

0.5 to 50 % by weight of at least one of calcium monophosphate, calcium diphosphate and ~~and/or~~ calcium triphosphate; and

0.5 to 3 % by weight silicon dioxide.

19. (Currently Amended) The phospholipidic composition of ~~according to~~ Claim 18, wherein ~~characterized in that~~ the composition contains:

40 to 70 % by weight L-α-glycerophosphatidylcholine;

10 to 30 % by weight cellulose;

10 to 30 % by weight of at least one of calcium monophosphate, calcium diphosphate and ~~and/or~~ calcium triphosphate; and

1.5 to 2.5 % by weight silicon dioxide.

20. (Currently Amended) The phospholipidic composition of ~~according to~~ Claim 1 ~~one of the preceding claims~~, wherein ~~characterized in that~~ the L-α-glycerophosphatidylcholine is of vegetable origin ~~and is isolated from soybeans in particular~~.